| UNIT CONDENSER | | DWG. # | W/I ETM2412 DDD CT | REV. |
|---|---|--|--------------------|----------------------|
| MODEL # LSC-1030E | SCALE NTS | EVAPCO, INC. EVAPCO | WLETM2412-DRD-ST | DATE 5/14/2024 |
| NOTES: 1. (M)- FAN MOTOR LOCATION 2. HEAVIEST SECTION IS COIL S 3. MPT DENOTES MALE PIPE THE FOR THE PROTES FEMALE PIPE BFW DENOTES BEVELED FOR GVD DENOTES GROOVED FLG DENOTES FLANGE PE DENOTES FLANGE PE DENOTES PLAIN END 4. +UNIT WEIGHT DOES NOT IN ACCESSORIES (SEE ACCESS 5. 3/4" [19mm] DIA. MOUNTING HECOMMENDED STEEL SUPF 6. DIMENSIONS LISTED AS FOLITOR OF THE PROPOSITION 1. * - APPROXIMATE DIMENSION USE FOR PRE-FABRICATION 8. MAKE-UP WATER PRESSURE 20 psi [137 kPa] MIN, 50 psi [34] | SECTION HREAD THREAD R WELDING CLUDE ORY DRAWINGS) HOLES. REFER TO PORT DRAWING LOWS: ENGLISH FT IN [METRIC] [mm] IS DO NOT OF CONNECTING PIPING | FACE B 9'-9 3/4" PLAN VIEW 24'-1 1/8" [7344] FACE A | | FACE D |
| 2'-6 3/8" * - 3'-11 3/4" * [1213] * 4 3/4" * (2) ACCESS DOOR (2) 3" [80] FPT OVERFLOW 2'-7 1/2" [800] 2'-7 3/4" [806] 3'-7 1/4" [1099] | | (4) 4" [100] PE REFRIG IN (4) 4" [100] PE (5) [1895] 14'-9 1/8" [4499] - 2" [50] MPT MAKE-UP 8'-6 1/2" [2604] | | 1'-6 3/8" [467] |

FACE B