UNIT CONDENSER			EVAL		NC EV	gp <b>co</b>	DWG. # WV050906-DRC-ST	REV.
MODEL # LI	RC 108	SCALE NTS	EVAH	PCO, II	VC.		SERIAL #	DATE 5/17/2024
FPT DENOTES BFW DENOTES GVD DENOTES FLG DENOTES PE DENOTES PE DENOTES P 3. +UNIT WEIGHT ACCESSORIES 4. 3/4" [19mm] DIA RECOMMENDE 5. DIMENSIONS LI 6. * - APPROXIMA' USE FOR PRE-F 7. MAKE-UP WATE	MALE PIPE THREAD FEMALE PIPE THREAD BEVELED FOR WELD GROOVED FLANGE LAIN END DOES NOT INCLUDE (SEE ACCESSORY DF. MOUNTING HOLES. D STEEL SUPPORT DI STED AS FOLLOWS: I	RAWINGS) REFER TO RAWING ENGLISH FT IN [METRIC] [mm IOT NNECTING PIP	FACE B	5'-5/8" 1540 ]		FACE C		FACE D
-=-	2'-6 3/8" *   <del>-</del> -				7/3	15'-2 1/4" [ 4629 ] <b>FACE A</b>	6'-3" [ 1905 ]	
4" [100] PE — REFRIG IN	[ 770 ]		1					
4" [100] PE — REFRIG OUT		1'-7	3'-7 1/2" (1/2" * [1106] 95] * 6'-7 3/4"		A	CCESS		6'-7 3/4" [ 2026 ]
3 1/4" TYP			3'-1/4" [ 919 ]			DOOR		1'-8 1/8"
3" [80] MPT — OVERFLOW		→   <del>-</del> 4	2 5/8"			8'-5 3/8"	1" [25] MPT MAKE-UP	ACCESS DOOR
2" [50] MPT DRAIN	5'-5/8" — [1540] — FACE B	1'-8 7/8"		1'-1 5/8"		15'-2 1/4" [ 4629 ] <b>FACE A</b>		
SHIPPING WEIGHT	5250 lbs+ [2385] k	ig+	DPERATING 8070 lbs-	- [3665] kg+	HEAVIEST SECTION WEIGHT	5250 lbs+ [2385] kg+	NO. OF SHIPPING SECTIONS	DRAWN BY: TLS