UNIT CONDENSER			EV/A D		IC ev	anco	DWG. # WV050906-DRC-ST	REV.
MODEL #	LRC 128	SCALE NTS	EVAP	CO, II	VC.	1	SERIAL #	DATE 5/14/2024
FPT DENOTES BFW DENOTE GVD DENOTES FLG DENOTES PE DENOTES 3. +UNIT WEIGH ACCESSORIE	S MALE PIPE THREAD S FEMALE PIPE THREAD S BEVELED FOR WELDI S GROOVED S FLANGE PLAIN END T DOES NOT INCLUDE S (SEE ACCESSORY DR	ING (AWINGS)				FACE C		
RECOMMEND 5. DIMENSIONS 6. * - APPROXIM. USE FOR PRE 7. MAKE-UP WA	ATE DIMENSIONS DO NO -FABRICATION OF CONI	RAWING ENGLISH FT IN METRIC] [mm OT NECTING PIP	FACE B 5'-5	/8"				FACE D
)	15'-2 1/4' [4629] FACE A		
	2'-6 3/8" * = 770]						[6'-3"] ———————————————————————————————————	
4" [100] PE - REFRIG IN 4" [100] PE - REFRIG OUT		1'-7	3'-7 1/2" [1106] [95] * 6'-7 3/4" [2026]					6'-7 3/4" [2026]
3 1/4" TYP. →		(1)	5 1/4" * [133] * 3'-1/4" [919]			CCESS DOOR		1'-8 1/8" [511]
3" [80] MPT — OVERFLOW		- ^t	2 5/8"	-	:	8'-5 3/8" [2575]	└─ 1" [25] MPT MAKE-UP	ACCESS DOOR
2" [50] MPT — DRAIN	5'-5/8" [1540] FACE B	1'-8 7/8" [530]		L 5/8"		15'-2 1/4' [4629] FACE A		-
SHIPPING WEIGHT	5400 lbs+ [2450] kg	g+ (OPERATING 8210 lbs+ [37	725] kg+	HEAVIEST SECTION WEIGHT	5400 lbs+ [2450] kg+	NO. OF SHIPPING SECTIONS 1	DRAWN BY: